

## SECTION 1: IDENTIFICATION

### 1.1 PRODUCT IDENTIFIER

**PRODUCT FORM:** MIXTURE

**PRODUCT NAME:** ACCUFOAM CC-HFO, ACCUFOAM CC-HFO WINTER, ACCUFOAM CC-HFO REGULAR, ACCUFOAM CC-HFO SUMMER, ACCUFOAM CC-HFO SUMMER PLUS

**PRODUCT CODE:** CCW-HFO

**SYNONYMS:** WALL, POLYURETHANE, AND FOAM

### 1.2 INTENDED USE OF THE PRODUCT

**Use of the Substance/Mixture:** Spray foam insulation for commercial and residential use.

### 1.3 NAME, ADDRESS, AND TELEPHONE OF THE RESPONSIBLE PARTY COMPANY

Creative Polymer Solutions, LLC.  
2720 Southeastern Circle, Birmingham, AL 35215  
205-440-4996  
www.accufoam.com

### 1.4 EMERGENCY TELEPHONE NUMBER

**Emergency Number:** Within USA and Canada: 1-800-424-9300 or +1-703-527-3887 (collect calls accepted) CHEMTREC

## SECTION 2: HAZARDS IDENTIFICATION

### 2.1 CLASSIFICATION OF THE SUBSTANCE OR MIXTURE


#### GHS-US Classification

|   |      |
|---|------|
| Skin corrosion/irritation Category 2                                | H315 |
| Serious eye damage/eye irritation Category 2                        | H319 |
| Reproductive toxicity Category 2                                    | H361 |
| Specific target organ toxicity (repeated exposure(oral)) Category 2 | H373 |

Full text of hazard classes and H-statements: see section 16

### 2.2 LABEL ELEMENTS

#### GHS-US Labeling

|                                   |  |
|-----------------------------------|--|
| <b>HAZARD PICTOGRAMS (GHS-US)</b> |   |
| <b>SIGNAL WORD (GHS-US)</b>       | Danger   |
| <b>HAZARD STATEMENTS (GHS-US)</b> | H302 - Harmful if swallowed.<br>H314 Causes severe skin burns and eye damage.<br>H318 - Causes serious eye damage<br>H373 - May cause damage to organs (kidneys) through prolonged or repeated exposure (oral route of exposure) |

### PRECAUTIONARY STATEMENTS (GHS-US)

P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do not induce vomiting.

P302+P361+P354 - IF ON SKIN: Take off immediately all contaminated clothing, immediately rinse with water for several minutes.

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305 + P354 + P338 IF IN EYES: Immediately rinse with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P316 Get emergency medical help immediately.

P363 Wash contaminated clothing before reuse.

P405 Store locked up.

P501 Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

### 2.3 OTHER HAZARDS

Exposure may aggravate pre-existing eye, skin, or respiratory conditions.

### 2.4 UNKNOWN ACUTE TOXICITY (GHS-US)

No Available Data

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1 SUBSTANCE

Not Applicable

### 3.2 MIXTURE

| CHEMICAL NAME  | CAS NUMBER                                  | %     |
|--|---|-------|
| Proprietary Polyester Resin (75-95%)<br>2,2'-oxybisethanol; diethylene glycol  | Proprietary Polyester Resin<br>111-46-6     | 35-45 |
| Polyether polyol (65-85%)<br>Polyether Polyol (15-45%)   | 9049-71-2<br>25791-96-2                     | 10-20 |
| Oxirane, 2-methyl-, polymer with oxirane<br>ether with 2,6-bis[[bis-(2-hydroxyethyl)amino)methyl]-4-<br>branched nonylphenol | 940912-28-7<br>34354-45-5                   | 10-20 |
| Tris(1-chloro-2-propyl) phosphate  | 13674-84-5                                  | 2-12  |
| 2-Dimethylaminoethanol   | 108-01-0                                    | 1-10  |
| Ethane-1,2-diol,<br>1,1,3,3-Tetramethylguanidine,<br>Succinic acid,<br>Glutaric acid   | 107-21-1<br>80-70-6<br>110-15-6<br>110-94-1 | 2-12  |
| Triethyl phosphate   | 78-40-0                                     | 1-10  |
| Tertiary amine catalyst (>25%), ethylene glycol (>25%)   | Not Available<br>107-21-1                   | 0-10  |

Full text of H-phrases: see section 16

\*The exact percentage of composition has been withheld as a trade secret [29 CFR 1910.1200].

## SECTION 4: FIRST AID MEASURES

### 4.1 DESCRIPTION OF FIRST AID MEASURES

**First-aid measures General:** Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

**First-aid Measures After Inhalation:** When symptoms occur: go into open air and ventilate suspected area. Obtain medical attention if breathing difficulty persists.

**First-aid Measures After Skin Contact:** Remove contaminated clothing. Immediately drench affected area with water for at least 15 minutes. If exposed or concerned: Get medical advice/attention.

**First-aid Measures After Eye Contact:** Immediately rinse with water for at least 30 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention.

**First-aid Measures After Ingestion:** Rinse mouth. Do NOT induce vomiting. Obtain medical attention.

## 4.2 MOST IMPORTANT SYMPTOMS AND EFFECTS BOTH ACUTE AND DELAYED

**Symptoms/Injuries:** May cause damage to organs through prolonged or repeated exposure. Suspected of damaging fertility or the unborn child. Causes skin irritation. Suspected of causing cancer. Causes serious eye damage.

**Symptoms/Injuries After Inhalation:** Prolonged exposure may cause irritation.

**Symptoms/Injuries After Skin Contact:** Redness, pain, swelling, itching, burning, dryness, and dermatitis.

**Symptoms/Injuries After Eye Contact:** Causes permanent damage to the cornea, iris, or conjunctiva.

**Symptoms/Injuries After Ingestion:** Ingestion may cause adverse effects.

**Chronic Symptoms:** Suspected of damaging fertility or the unborn child. May cause damage to organs(kidneys) through prolonged or repeated exposure(oral).

## 4.3 INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

# SECTION 5: FIRE-FIGHTING MEASURES

## 5.1 EXTINGUISHING MEDIA

**Suitable Extinguishing Media:** Water spray, fog, carbon dioxide (CO<sub>2</sub>), alcohol-resistant foam, or dry chemical.

**Unsuitable Extinguishing Media:** Do not use a heavy water stream. Use of heavy stream of water may spread fire.

## 5.2 SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE

**Fire Hazard:** Not considered flammable but may burn at high temperatures.

**Explosion Hazard:** Product is not explosive.

**Reactivity:** Hazardous reactions will not occur under normal conditions.

## 5.3 ADVICE FOR FIREFIGHTERS

**Precautionary Measures Fire:** Exercise caution when fighting any chemical fire.

**Firefighting Instructions:** Use water spray or fog for cooling exposed containers.

**Protection During Firefighting:** Do not enter fire area without proper protective equipment, including respiratory protection.

**Hazardous Combustion Products:** Carbon oxides (CO, CO<sub>2</sub>). Nitrogen oxides. Phosphorous oxide.

# SECTION 6: ACCIDENTAL RELEASE MEASURES

## 6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

**General Measures:** Do not get in eyes, on skin, or on clothing. Do not breathe vapor, mist or spray.

### 6.1.1 FOR NON-EMERGENCY PERSONNEL

**Protective Equipment:** Use appropriate personal protective equipment (PPE).

**Emergency Procedures:** Evacuate unnecessary personnel.

### 6.1.2 FOR EMERGENCY PERSONNEL

**Protective Equipment:**

Equip cleanup crew with proper protection.

**Emergency Procedures:** Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the

area, and call for the assistance of trained personnel as soon as conditions permit. Ventilate area.

## 6.2 ENVIRONMENTAL PRECAUTIONS

Prevent entry to sewers and public waters. Avoid release to the environment.

## 6.3 METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP

**For Containment:** Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

**Methods for Cleaning Up:** Clean up spills immediately and dispose of waste safely. Transfer spilled material to a suitable container for disposal. Contact competent authorities after a spill.

## 6.4 REFERENCE TO OTHER SECTIONS

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

# SECTION 7: HANDLING AND STORAGE

## 7.1 PRECAUTIONS FOR SAFE HANDLING

**Precautions for Safe Handling:** Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not get in eyes, on skin, or on clothing. Do NOT breathe (dust, vapor, mist, gas). Avoid contact with skin, eyes and clothing.

**Hygiene Measures:** Handle in accordance with good industrial hygiene and safety procedures.

## 7.2 CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES

**Technical Measures:** Comply with applicable regulations.

**Storage Conditions:** Keep container closed when not in use. Store in a dry, cool place. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials. Store locked up/in a secure area.

**Incompatible Materials:** Strong acids, strong bases, strong oxidizers. reactive metals (Al, K, Zn ...). Isocyanates.

## 7.3 SPECIFIC END USE(S)

Closed cell insulation, for professional use only.

# SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

## 8.1 CONTROL PARAMETERS

For substances listed in section 3 that are not listed here, there are no established exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), AIHA (WEEL), NIOSH (REL), or OSHA (PEL).

| (E)-1-CHLORO-3,3,3-TRIFLUOROPROP-1-ENE (102687-65-0) |                |  |
|--|----------------|--|
| USA AIHA   | WEEL TWA (ppm] | 800 ppm (trans-1-Chloro-3,3,3-trifluoro-propylene) |
| TRIETHYL PHOSPHATE (78-40-0)                         |                |  |
| USA AIHA   | WEEL TWA       | 7.45 mg/m <sup>3</sup>                             |

| ETHYLENE GLYCOL (107-21-1)   |                         |   |
|------------------------------|-------------------------|---|
| USA ACGIH                    | ACGIH OEL TWA [ppm]     | 25 ppm (vapor fraction)   |
| USA ACGIH                    | ACGIH OEL STEL          | 10 mg/m <sup>3</sup> (inhalable particulate matter, aerosol only) |
| USA ACGIH                    | ACGIH OEL STEL [ppm]    | 50 ppm (vapor fraction)   |
| USA ACGIH                    | ACGIH chemical category | Not Classifiable as a Human Carcinogen                            |
| DIETHYLENE GLYCOL (111-46-6) |                         |   |
| USA AIHA                     | WEEL TWA                | 10 mg/m <sup>3</sup>  |

## 8.2 EXPOSURE CONTROLS

**Appropriate Engineering Controls:** Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed.

**Personal Protective Equipment:** Gloves. Protective clothing. Protective goggles. Insufficient ventilation: wear respiratory protection.



**Materials for Protective Clothing:** Chemically resistant materials and fabrics.

**Hand Protection:** Wear protective gloves.

**Eye and Face Protection:** Chemical safety goggles.

**Skin and Body Protection:** Wear suitable protective clothing.

**Respiratory Protection:** If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen-deficient atmosphere, or where exposure levels are not known wear approved respiratory protection.

**Other Information:** When using, do not eat, drink or smoke.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

|                  |                     |
|------------------|---------------------|
| Physical State   | Liquid              |
| Appearance       | Light brown resin   |
| Odor             | Slight amine        |
| Odor Threshold   | No Data Available   |
| pH               | 9 –10               |
| Relative Density | 1.1 – 1.2 (Water=1) |
| Viscosity (cPs)  | 600 – 800           |

### 9.2 OTHER INFORMATION

No Additional Information available

## SECTION 10: STABILITY AND REACTIVITY

### 10.1 REACTIVITY:

Hazardous reactions will not occur under normal conditions.

### 10.2 CHEMICAL STABILITY:

Stable under recommended handling and storage conditions (see section 7).

### 10.3 POSSIBILITY OF HAZARDOUS REACTIONS:

Hazardous polymerization will not occur.

### 10.4 CONDITIONS TO AVOID:

Direct sunlight, extremely high or low temperatures, and incompatible materials.

### 10.5 INCOMPATIBLE MATERIALS:

Strong acids, strong bases, strong oxidizers.

### 10.6 HAZARDOUS DECOMPOSITION PRODUCTS:

Not expected to decompose under ambient conditions.

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1 INFORMATION ON TOXICOLOGICAL EFFECTS

**Acute Toxicity (Oral):** Not classified

**Acute Toxicity (Dermal):** Not classified

**Acute Toxicity (Inhalation):** Not classified

| (E)-1-Chloro-3,3,3-trifluoroprop-1-ene (102687-65-0) |  |
|--|--|
| LC50 Inhalation Rat                                  | 120000 ppm/4h  |
| 2-Propanol-, 1-chloro-, phosphate (3:1) (13674-84-5) |  |
| LD50 Oral Rat  | 1500 mg/kg   |
| LD50 Dermal Rabbit                                   | > 5000 mg/kg   |
| LC50 Inhalation Rat                                  | > 5.05 mg/l/4h   |
| Triethyl phosphate (78-40-0)                         |  |
| LD50 Oral Rat  | 1100 – 1600 mg/kg  |
| LD50 Dermal Rabbit                                   | > 20 g/kg  |
| LC50 Inhalation Rat                                  | > 8817 mg/m <sup>3</sup> (Exposure time: 4 h)  |
| Glutaric acid (110-94-1)                             |  |
| LD50 Oral Rat  | 2750 mg/kg   |
| LD50 Dermal Rabbit                                   | > 10000 mg/kg  |
| Butanedioic acid (110-15-6)                          |  |
| LD50 Oral Rat  | > 2000 mg/kg   |
| LD50 Dermal Rat                                      | > 2000 mg/kg   |
| LC50 Inhalation Rat                                  | > 1.284 mg/l/4h (Read across: Fumaric Acid, no deaths at maximum technically feasible concentration) |
| Guanidine, N,N,N',N'-tetramethyl- (80-70-6)          |  |
| LD50 Oral Rat  | 835 mg/kg  |
| Ethylene glycol (107-21-1)                           |  |
| LD50 Dermal Rat                                      | 10600 mg/kg  |
| Diethylene glycol (111-46-6)                         |  |
| LD50 Oral Rat  | 1120 mg/kg   |
| LD50 Dermal Rabbit                                   | 11890 mg/kg  |
| LC50 Inhalation Rat                                  | > 4600 mg/m <sup>3</sup> (Exposure time: 4 h)  |

**Skin Corrosion/Irritation:** Causes skin irritation.

pH: 10 – 12

**Serious Eye Damage/Irritation:** Causes serious eye irritation.

pH: 10 – 12

**Respiratory or Skin Sensitization:** Not classified

**Germ Cell Mutagenicity:** Not classified

**Carcinogenicity:** Not classified

**Reproductive Toxicity:** Suspected of damaging fertility or the unborn child.

**Specific Target Organ Toxicity (Single Exposure):** Not classified

**Specific Target Organ Toxicity (Repeated exposure(oral)):** May cause damage to organs(kidneys) through prolonged or repeated exposure(oral).

**Aspiration Hazard:** Not classified

**Symptoms/Injuries After Inhalation:** Prolonged exposure may cause irritation.

**Symptoms/Injuries After Skin Contact:** Redness, pain, swelling, itching, burning, dryness, and dermatitis.

**Symptoms/Injuries After Eye Contact:** Contact causes severe irritation with redness and swelling of the conjunctiva.

**Symptoms/Injuries After Ingestion:** Ingestion may cause adverse effects.

**Chronic Symptoms:** Suspected of damaging fertility or the unborn child. May cause damage to organs(kidneys) through prolonged or repeated exposure(oral).

## SECTION 12: ECOLOGICAL INFORMATION

### 12.1 TOXICITY

**Ecology-General:** Not classified.

#### 2-Propanol, 1-chloro-, phosphate (3:1) (13674-84-5)

|                      |  |
|----------------------|--|
| LC50 Fish 1          | 56.2 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [static])    |
| EC50 - Crustacea [1] | 63 mg/l (Exposure time: 48 h - Species: Daphnia magna)                   |
| LC50 Fish 2          | 98 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])    |
| ErC50 (Algae)        | 82 mg/l (Exposure time: 72 h - Species: Pseudokirchneriella subcapitata) |
| NOEC Chronic Algae   | 6 mg/l   |

#### BUTANEDIOIC ACID (110-15-6)

|             |   |
|-------------|---|
| LC50 Fish 1 | > 100 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static]) |
|-------------|---|

#### ETHYLENE GLYCOL (107-21-1)

|                        |  |
|------------------------|--|
| LC50 Fish 1            | 41000 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)            |
| EC50 - Crustacea [1]   | 46300 mg/l (Exposure time: 48 h - Species: Daphnia magna)                  |
| LC50 Fish 2            | 14 – 18 ml/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static]) |
| NOEC Chronic Crustacea | 4.2 mg/l   |

#### DIETHYLENE GLYCOL (111-46-6)

|                      |  |
|----------------------|--|
| LC50 Fish 1          | 75200 mg/l (Exposure time: 96 h - Species: Pimephales promelas (flow-through)) |
| EC50 - Crustacea [1] | 84000 mg/l (Exposure time: 48 h - Species: Daphnia magna)                      |

#### DIETHYLENE GLYCOL (111-46-6)

|                      |  |
|----------------------|--|
| LC50 Fish 1          | 75200 mg/l (Exposure time: 96 h - Species: Pimephales promelas (flow-through)) |
| EC50 - Crustacea [1] | 84000 mg/l (Exposure time: 48 h - Species: Daphnia magna)                      |

### 12.2 PERSISTENCE AND DEGRADABILITY

|                           |                 |
|---------------------------|-----------------|
| Accufoam CC-HFO           |                 |
| Bioaccumulative Potential | Not established |

### 12.3 BIOACCUMULATIVE POTENTIAL

|                               |                  |
|-------------------------------|------------------|
| Accufoam CC-HFO               |                  |
| Persistence and Degradability | Not established. |

#### 2-Propanol, 1-chloro-, phosphate (3:1) (13674-84-5)

|   |           |
|---|-----------|
| BCF Fish 1                                      | 1.9 – 4.6 |
| Partition coefficient n-octanol/water (Log Pow) | 2.59      |

#### Triethyl phosphate (78-40-0)

|   |            |
|---|------------|
| Partition coefficient n-octanol/water (Log Pow) | 0.8 - 1.11 |
|---|------------|

#### ETHYLENE GLYCOL (107-21-1)

|   |       |
|---|-------|
| Partition coefficient n-octanol/water (Log Pow) | -1.93 |
|---|-------|

#### DIETHYLENE GLYCOL (111-46-6)

|   |                  |
|---|------------------|
| BCF Fish 1                                      | 100 – 180        |
| Partition coefficient n-octanol/water (Log Pow) | -1.98 (at 25 °C) |

### 12.4 MOBILITY IN SOIL

No additional information available

### 12.5 OTHER ADVERSE EFFECTS

**Other Information:** Avoid release to the environment.

## SECTION 13: DISPOSAL CONSIDERATIONS

### 13.1 WASTE TREATMENT METHODS

**Waste Disposal Recommendations:** Dispose of contents/container in accordance with local, regional, national, and international regulations.

**Additional Information:** Container may remain hazardous when empty. Continue to observe all precautions.

**Ecology- Waste Materials:** Avoid release to the environment.

## SECTION 14: TRANSPORT INFORMATION

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.

### 14.1 IN ACCORDANCE WITH DOT

**Not regulate except in bulk. Bulk containers (>5,000 lbs) must be transported as:**

UN3083, ENVIRONMENTALLY HAZARDOUS SUBSTANCES, N.O.S. (CONTAINS 1,4-DIOXANE), 9, PG III

### 14.2 IN ACCORDANCE WITH IMDG

Not regulated for transport

### 14.3 IN ACCORDANCE WITH IATA

Not regulated for transport

## SECTION 15: REGULATORY INFORMATION

### 15.1 US FEDERAL REGULATIONS

#### Accufoam CC-HFO

|   |   |
|---|---|
| SARA Section 311/312 Hazard Classes   | Health hazard - Reproductive toxicity<br>Health hazard - Specific target organ toxicity (single or repeated exposure(oral))<br>Health hazard - Skin corrosion or Irritation<br>Health hazard - Serious eye damage or eye irritation |
| (E)-1-Chloro-3,3,3-trifluoroprop-1-ene (102687-65-0)  |   |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active  |   |
| EPA TSCA Regulatory Flag  | PMN - PMN - indicates a commenced PMN substance.  |
| 2-Propanol, 1-chloro-, phosphate (3:1) (13674-84-5)   |   |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active  |   |
| Triethyl phosphate (78-40-0)  |   |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active  |   |
| Glutaric acid (110-94-1)  |   |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active  |   |
| Butanedioic acid (110-15-6)   |   |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active  |   |
| Guanidine, N,N,N',N'-tetramethyl- (80-70-6)   |   |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active  |   |
| Ethylene glycol (107-21-1)  |   |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active<br>Subject to reporting requirements of United States SARA Section 313 |   |
| CERCLA RQ   | 5000 lb   |
| SARA Section 313 - Emission Reporting   | 1 %   |
| Siloxanes and silicones, dimethyl, 3-hydroxypropyl methyl, ethoxylated (68937-54-2)   |   |

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.*

SDS US (GHS HazCom)

|  |   |
|--|---|
| Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active |   |
| EPA TSCA Regulatory Flag   | XU - XU - indicates a substance exempt from reporting under the Chemical Data Reporting Rule, (40 CFR 711). |
| Ethylene oxide, polymer with 2,2'-iminodiethanol and propylene oxide (34354-45-5)          |   |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active |   |
| EPA TSCA Regulatory Flag   | XU - XU - indicates a substance exempt from reporting under the Chemical Data Reporting Rule, (40 CFR 711). |
| Diethylene glycol (111-46-6)   |   |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active |   |

### 15.2. US STATE REGULATIONS

|  |  |
|--|--|
| Ethylene glycol (107-21-1)   |  |
| U.S. - New Jersey - Right to Know Hazardous Substance List<br>U.S. - Pennsylvania - RTK (Right to Know) List<br>U.S. - Massachusetts - Right To Know List<br>U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List |  |
| Diethylene glycol (111-46-6)   |  |
| U.S. - Pennsylvania - RTK (Right to Know) List   |  |

### California Proposition 65

**WARNING:** This product can expose you to Ethylene glycol, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

| Chemical Name (CAS No.)    | Carcinogenicity | Developmental Toxicity | Female Reproductive Toxicity | Male Reproductive Toxicity |
|----------------------------|-----------------|------------------------|------------------------------|----------------------------|
| Ethylene glycol (107-21-1) |                 | X                      |                              |                            |

## SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

**DATE OF PREPARATION OR LATEST REVISION:** 07/06/2022

**OTHER INFORMATION:** This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200

### GHS Full Text Phrases

|      |  |
|------|--|
| H226 | Flammable liquid and vapor   |
| H280 | Contains gas under pressure; may explode if heated                               |
| H302 | Harmful if swallowed   |
| H314 | Causes severe skin burns and eye damage  |
| H315 | Causes skin irritation   |
| H318 | Causes serious eye damage  |
| H319 | Causes serious eye irritation  |
| H320 | Causes eye irritation  |
| H361 | Suspected of damaging fertility or the unborn child                              |
| H373 | May cause damage to organs(kidneys) through prolonged or repeated exposure(oral) |
| H402 | Harmful to aquatic life  |